

“VASOCAINE”

For Use by Licensed Professionals Only.

This liquid 4 ounce anesthetic comes with a spray top. Developed for relief of anorectal disorders, this powerful 5% lidocaine liquid anesthetic is for use during procedures. It is safe for use on all procedures *except eyeliner*. It also contains a vascular constrictor to aid in reducing swelling and bleeding.

Vasocaine is a highly effective secondary anesthetic for use during painful procedures. It is fast-acting and powerful, yet has no burn on open skin contact.

FOR EXTERNAL USE ONLY: Check with client for history of allergic reactions to topical anesthetics before applying. Keep in a cool, dark place, out of reach of children.

WARNING: Avoid direct contact with the eyeball. If contact should occur, irrigate with copious amounts of sterile saline and seek medical attention. **DO NOT SWALLOW.** If you should accidentally swallow this product seek medical attention immediately.

DURING PROCEDURE ANESTHETIC

90 seconds

SUGGESTED APPLICATION

This 5% lidocaine spray with a vasoconstrictor is versatile and extremely effective. It is for use during painful procedures. It is ineffective as a predeadener. It is safe for use in all procedures **EXCEPT EYELINER**. It has no odor or perfumed additives, so there is no sensation or stinging at the time of application. After applying outlining or after the first pass on a permanent makeup procedure, simply saturate the area with **Vasocaine**, wait 90 seconds and you are good to go. **ALWAYS REMOVE THE PRODUCT THOROUGHLY BEFORE TATTOOING.** Because of the added ingredient of a vascular constrictor, you will also experience a reduction in bruising and bleeding with this product.

DERMAL SOURCE
2319 NE Glisan Street, Portland, OR
Portland, Oregon 97232
Phone: 866-568-3223, Fax: 503-973-5433
www.dermalsouce.com

05/18



“VASOCAINE”

For Use by Licensed Professionals Only.

This liquid 4 ounce anesthetic comes with a spray top. Developed for relief of anorectal disorders, this powerful 5% lidocaine liquid anesthetic is for use during procedures. It is safe for use on all procedures *except eyeliner*. It also contains a vascular constrictor to aid in reducing swelling and bleeding.

Vasocaine is a highly effective secondary anesthetic for use during painful procedures. It is fast-acting and powerful, yet has no burn on open skin contact.

FOR EXTERNAL USE ONLY: Check with client for history of allergic reactions to topical anesthetics before applying. Keep in a cool, dark place, out of reach of children.

WARNING: Avoid direct contact with the eyeball. If contact should occur, irrigate with copious amounts of sterile saline and seek medical attention. **DO NOT SWALLOW.** If you should accidentally swallow this product seek medical attention immediately.

DURING PROCEDURE ANESTHETIC

90 seconds

SUGGESTED APPLICATION

This 5% lidocaine spray with a vasoconstrictor is versatile and extremely effective. It is for use during painful procedures. It is ineffective as a predeadener. It is safe for use in all procedures **EXCEPT EYELINER**. It has no odor or perfumed additives, so there is no sensation or stinging at the time of application. After applying outlining or after the first pass on a permanent makeup procedure, simply saturate the area with **Vasocaine**, wait 90 seconds and you are good to go. **ALWAYS REMOVE THE PRODUCT THOROUGHLY BEFORE TATTOOING.** Because of the added ingredient of a vascular constrictor, you will also experience a reduction in bruising and bleeding with this product.

DERMAL SOURCE
2319 NE Glisan Street, Portland, OR
Portland, Oregon 97232
Phone: 866-568-3223, Fax: 503-973-5433
www.dermalsouce.com

05/18

